

COMPATIBILITY OF BLOSSOM PROTECT™ AND BOTECTOR® WITH PLANT PROTECTION PRODUCTS, PLANT STRENGTHENERS, PLANT STIMULANTS, FERTILIZERS AND ADDITIVES

(Updated February 2025)

This table shows the compatibility of various preparations with BLOSSOM PROTECT™ and BOTECTOR® for use in tank mixtures. Please note:

- **“Yes”**: These preparations are compatible with BLOSSOM PROTECT™ or BOTECTOR® and can be safely used in tank mixtures.
- **“Caution”**: These preparations can be used in tank mixtures but must not exceed the specified concentration.
- **“No”**: These preparations reduce the viability of *Aureobasidium pullulans* in BLOSSOM PROTECT™ or BOTECTOR®, making them incompatible for tank mixtures.

Special Timing Instructions for “No” Compatibility: When using preparations marked as “No”, please follow these timing guidelines to avoid adverse effects:

- **Open Blossoms:**
 - For BLOSSOM PROTECT™ (+ BUFFER PROTECT™ NT), avoid “No” preparations on the day of application and the following day.
 - **For pears only:** Do not use copper-based preparations from two days before to two days after BUFFER PROTECT™ or BUFFER PROTECT™ NT application.
- **Blossoms, Leaves, or Fruit:**
Avoid “No” preparations from 3 days before to 3 days after applying BLOSSOM PROTECT™ or BOTECTOR®.

ATTENTION

- Compatibility information relates to the viability and action of *A. pullulans* only and does not guarantee the effectiveness of the mixture. Testing was conducted at both the recommended and fourfold concentration (with reduced water volume).
- Product classifications (e.g., fungicides, fertilizers) reflect our current knowledge but may vary by country, as may registration requirements.
- Compatibility does not imply a recommendation for tank mixture use. Always follow local and crop-specific regulations. Responsibility for tank mixture use lies with the grower.

For the latest compatibility updates, please visit www.san-agrow.com.

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
FUNGICIDES					
Airone SC	copper hydroxide + copper oxychloride	229.8 g/l + 208.3 g/l	0.2	yes	no
Aktuan (WP)	cymoxanil + dithianon	100 g/kg + 250 g/kg	0.2	no	
Aktuan Gold	dimethomorph + Dithianon	150+350	0.16	no	no
Alex pk	potassium phosphite	300 g/kg	0.3	yes	yes
Alginure	potassiumphosphonate + algae extract	342 g/l + 370 g/l	0.5	yes	yes
Aliette WG	Fosetyl-Al	800 g/kg	0.5	yes	yes
Amylo X (WG)	<i>Bacillus amyloliquefaciens</i> strain D747	5 × 10 ¹⁰ Sporen/g (250 g/kg)	0.15	yes	no
Aprovia	benzovindiflupyr (Solatenol) (SDHI)	102.7 g/l	0.077	no	no
AQ10 WG	<i>Ampelomyces quisqualis</i>	5E+09 Sporen/g	0.035	yes	yes
Armicarb	potassiumhydrogencarbonate	850 g/kg	0.5	no	no
Aviso (WP)	cymoxanil + metiram	80 g/kg + 670 g/kg	0.15	no	no
Babel	pyrimethanil	400 g/l	0.075	yes	yes
Bayfidan WG 5	triadimenol	50 g/kg	0.05	yes	yes
Belanty	mefentrifluconazole	75 g/l	0.2	yes	yes
Bellis (WG)	boscalid + pyraclostrobin (F500)	252 g/kg + 128 g/kg	0.055	no	no
Benocap WG 20	flusilazol	200 g/kg	0.012	no	no
Bordoflo w (SC)	bordeaux mixture	124 g/l	0.5	caution	no
Bordoflo w (new)	copper (copper sulfate with lime)	124 g/l	0.4	caution	no
Cabrio Top (WG)	pyraclostrobin + metiram	50 g/kg + 550 g/kg	0.15	no	no
Cantus (WG)	boscalid	500 g/kg	0.075	yes	yes
Captan 80 WG	captan	800 g/kg	0.125	no	no
Cercobin FL (SC)	thiophanate-methyl	500 g/l	0.07	yes	yes
Champi ON	copper hydroxide	300 g/kg	0.09	yes	no
Chorus (WG)	cyprodinil	500 g/kg	0.03	yes	yes

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
Clarinet	fluquinconazole + pyrimethanil	50 g/l + 150 g/l	0.1	yes	yes
Collis (SC)	boscalid + kresoxim-methyl	200 g/l + 100 g/l	0.08	no	no
Condor (Duotop) (WP)	triflumizol	300 g/kg	0.03	no	no
Cueva (SC)	copper octanoate	100 g/l	2	no	no
Cuprofor flow	copper oxychloride	638.7 g/l	0.25	yes	no
Cuprofor flüssig (SC)	copper chloride	500 g/l	0.2	yes	no
Cuproxat flüssig	copper sulfate	345 g/l	0.54	yes	no
Cuprozin (WP)	copper hydroxide	691 g/kg	0.23	yes	no
Cuprozin flüssig	copper hydroxide	460.6 g/l	0.34	yes	no
Cuprozin Progress (SC)	copper hydroxide	383.3 g/l	0.1	yes	no
Curame 4-40 (WP)	copper oxychloride, cymoxanil	397.5 g/kg + 42 g/kg	0.3	no	no
Curame Bordeaux x	bordeaux mixture, cymoxanil	136 g/kg + 20 g/kg	0.6	no	no
Curatio	calciumpolysulfide (lime sulfur)		1.6	no	no
Curifol WG	cymoxanil + folpet	40 g/kg + 460 g/kg	0.13	no	no
Dagonis (SC)	difenoconazol + fluxapyroxad	50 g/l + 75 g/l	0.06	yes	yes
Dart	capryl- and capric acid		0.25	no	no
Delan WG	dithianon	700 g/kg	0.05	no	no
DelanPro (SC)	dithianon + potassiumphosphonate	125 g/l + 561 g/l	0.17	no	no
Difcor 250 EC	difenoconazole	250 g/l	0.015	no	no
Discus (WG)	kresoxim-methyl	500 g/kg	0.012	no	no
Dithane Ultra WG	mancozeb	800 g/kg	0.2	no	no
Dithane Neo Tec	mancozeb	750 g/kg	0.2	no	no
Domark EVO	tetraconazol	125 g/l	0.03	no	no
Dorado P (EC)	propiconazol	100 g/l	0.03	caution	caution

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
Double Nickel	<i>Bacillus amyloliquefaciens</i> D747	250 g/l	1.5	yes	no
Duotop (Condor) (WP)	triflumizol	300 g/kg	0.03	no	no
Dynali	cyflufenamid+difenocozazole	30 + 60	0.05	yes	no
Embreliia	difenoconazol + isopyrazam	40 g/l + 100 g/l	0.1	yes	no
Enervin	initium (ametocratin) + metiram	120 g/l + 440 g/l	0.3	no	no
Equation Pro (WG)	famoxadon + cymoxanil	225.02 g/kg + 300 g/kg	0.04	caution	caution
Erzen 70 WP	thiophanatemethyl	700 g/kg	0.06	yes	yes
Fado	COS-OGA	12.5 g/l	0.4	caution	caution
Fantic F	folpet + benalaxyl-M	480 g/l + 37.5 g/l	0.24	no	no
Fenicur	Oleum foeniculi	231 g/l	0.07	no	no
Filan (WG)	boscalid	500 g/kg	0.075	no	no
Flint (WG)	trifloxystrobin	500 g/kg	0.02	yes	yes
Flint Max	trifloxystrobin + tebucon azol	250+500	0.018	caution	caution
Flowbrix	copper oxychloride	638 g/l	0.21	yes	no
Folpan	folpet	800 g/l	0.15	no	no
Folpet DG	folpet	800 g/kg	0.125	no	no
Fontelis	penthiopyrad	1.5l/ha	0.075	yes	yes
Forum	dimethomorph	150	0.12	yes	yes
Forum Gold	dimethomorph + dithianon	150+350	0.12	no	no
Forum Star	folpet + dimethomorph	600 g/kg + 113 g/kg	0.12	no	no
Fortress 250	quinoxifen	250 g/l	0.1	yes	yes
Frupica Opti	mepanipirim	500 g/kg	0.12	yes	yes
Frupica SC	mepanipirim	440 g/l	0.1	yes	yes
Frutogard	potassiumphosphonate + algae extract	342 g/l + 370 g/l	0.5	yes	yes

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
Funguran (WP)	copper hydroxide	756 g/kg	0.3	yes	no
Funguran Progress (WP)	copper hydroxide	350 g/kg	0.12	yes	no
FytoSave	COS-OGA	12.5 g/l	0.4	caution	caution
Galben M	mancoceb + benalaxyl	650 g/l + 0.1 g/l	0.2	no	no
Galileo	tetraconazole	40	0.075	no	no
Geoxe	fludioxonil	500 g/kg	0.03	yes	yes
Idrox 22 (WG)	copper hydroxide	220 g/kg	0.227	caution	no
Idrox 22 (WG)	copper hydroxide	220 g/kg	0.45	no	no
Intuity	mandestrobin	250 g/ml	0.038	yes	yes
Talendo (EC)	proquinazid	200 g/l	0.025	no	no
Karathane Gold (EC)	metpydinocap	350 g/l	0.0375	no	no
Kenja	isofetamid	400 g/l	0.15	yes	yes
Kocide 101 (WP)	copper hydroxide	770 g/kg	0.2	yes	no
Kocide Opti	copper hydroxide	300 g/kg	0.09	yes	no
Kumar	potassium-hydrogencarbonate	850 g/kg	0.5	no	no
Kumulus WG	wettable sulfur	800 g/kg	0.025 – 0.3	yes	yes
Kupfer Fusilan 540 WG	cymoxanil + copper oxychloride	27 g/kg + 500 g/kg	0.5	no	no
Kupferol (SC)	copper sulfate	345 g/l	0.54	yes	no
Kusabi	pyriofenone		0.01875	yes	yes
Lee-Moon 40 EC	flusilazol	400 g/l	0.006	caution	caution
Legend (SC)	quinoxifen	250 g/l	0.1	yes	yes
Legend power	quinoxifen + myclobutanil	45 + 45	0.16	yes	yes
Luna Care	fluopyram + fosetyl	50 g/kg + 620.9 g/kg	0.2	caution	caution
Luna Experience	fluopyram + tebuconazol	200 g/l + 200 g/l	0.03125	caution	caution

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
Luna Max	fluopyram + spiroxamine	75 g/l + 200 g/l	0.1	no	no
Luna Privilege	fluopyram	500 g/l	0.03125	yes	yes
Luna Sensation	fluopyram + trifloxystrobin		0.04	yes	yes
Luna Tranquility	fluopyram + pyrimethanil	113 g/l + 338 g/l	0.08	yes	yes
Lime sulfur	ca-polysulfid		1.05	no	no
Malvin WG	captan	800 g/kg	0.12	no	no
Melody Combi (WG)	iprovalicarb + folpet	90 g/kg + 563 g/kg	0.15	no	no
Merivon Xenium	fluxapyroxad + pyraclostrobin	212.6 g/kg + 212.6 g/kg	0.08	no	no
Merpan 48 SC	captan	480 g/l	0.25	no	no
Merplus	captan + potassiumphosphonate	360 g/l + 657 g/l	0.16	no	no
Miclocur	miclobutanil	42 g/l	0.1	no	no
Micro Sulf	wettable sulfur	800 g/kg	1.5	yes	yes
Mildicut (SC)	cyazofamid	25 g/l	0.25	yes	yes
Myco-Sin	ground rock and clay minerals		4	caution	caution
Myco-Sin VIN	ground rock and clay minerals + plant extracts + yeast		1	no	no
Mystic 430 SC	tebuconazole	430 g/l	0.045	yes	yes
Nativo 75WG	trifloxystrobin+tebuconazole	250 g/l + 500 g/l	0.018	caution	caution
Nautile	cymoxanil+mancozeb	45 g/kg + 680 g/kg	0.16	no	no
Netzschwefel Stulln (WG)	wettable sulfur	798.4 g/kg	0.3	yes	yes
Nexy biomass + Nexy additive	candida oleophila strain O + Caciium gluconat	3E+10 cfu/g Candidaoleophila	0.033 + 0.2	yes	yes
Nimrod EC	bupirimat	250 g/l	0.1	no	no
Nordox 75W	copper hydroxide	750 g/kg	0.0375	yes	no
NuStar Fungicide	flusilazole	200 g/kg	0.012	no	no
Ohayo	fluazinam	500 g/l	0.1	no	no

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
Omnex (EC)	penconazole	100 g/l	0.025	yes	yes
Option (WG)	cymoxanil	600 g/kg	0.1	yes	yes
Ortho-Phaltan 500 SC	folpet	500 g/l	0.13	no	no
Ortiva (Quadris) (SC)	azoxystrobin	250 g/l	0.2	yes	yes
Ossiclor 20 Flow (SC)	copper oxychloride	284 g/l	0.5	caution	no
Ossiclor 35 PB (WP)	copper oxychloride	350 g/kg	0.5	no	no
Ossiclor 35 WG	copper oxychloride	350 g/kg	0.5	no	no
Ossiclor 35 WG	copper oxychloride	350 g/kg	0.088	no	no
Ossiclor 50 PB (WP)	copper oxychloride	500 g/kg	0.3	no	no
Percos (SC)	ametoctradin + dimethomorph	300 g/l + 225 g/l	0.2	yes	yes
Pergado (WG)	folpet + mandipropamid	400 g/kg + 50 g/kg	0.13	no	no
PH-D	polyoxin D zinc salt	113 g/l	0.044	yes	yes
Pitcher SC	fludioxinil + folpet	60 g/l + 450 g/l	1	no	no
Poltiglia Bordolese 13 PB (WP)	bordeaux mixture	130 g/kg	1	no	no
Poltiglia Bordolese 20% PB (WP)	bordeaux mixture	200 g/kg	0.75	no	no
Poltiglia 20 WG	bordeaux mixture	200 g/kg	0.15	no	no
Polyram WG	metiram	700 g/kg	0.15	yes	yes
Pomax	fludioxonil + pyrimethanil	133 g/l + 336 g/l	0.16	yes	yes
Prestige	tebuconazole	250 g/kg	0.025	yes	yes
PreStop	gliocladium catenulatum (min. 1E+8 cfu/g)	320 g/kg	0.2	yes	yes
Prev Gold	orange oil	55.8 g/l	0.4	no	no
Prevont	bacillus subtilis IAB/BS03	0.8 g/l (1E+7 cfu/g)	0.2	yes	no
Pristine	pyraclostrobin + boscalid	128 g/kg + 252 g/kg	0.17	no	no

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
Profiler	fluopicolide + fosetyl Al	444 + 622	0.3	yes	yes
Profilux	cymoxanil + mancozeb	45 g + 680 g	0.188	no	no
Prolectus 400 (EC)	fenpyrazamine	400	0.1	yes	yes
Prolectus (WG)	fenpyrazamine	500	0.075	yes	yes
Prosper (EC)	sprioxamine	500 g/l	0.05	no	no
Provin (SC)	chlorothalonil	533 g/l	0.25	no	no
Pyrus	pyrimethanil	400 g/l	0.075	yes	yes
Quadris (Ortiva) (SC)	azoxystrobin	250 g/l	0.2	yes	yes
Quintec	quinoxifen	225.8 g/l	0.055	yes	yes
R6albis	fluopicolide + fosetyl Al	44.4 g/kg + 666.7 g/kg	0.25	yes	yes
Regalia	<i>Reynoutria sacchalinensis</i> extract		0.125	yes	yes
Ridomil Gold Combi WG	folpet + metalaxyl	400 g/kg + 50 g/kg	0.15	no	no
Romeo	cerevisane (cell wall of <i>Saccharomyces cerevisiae</i>)	941 g/kg	0.025	yes	yes
S2200 25%SC	mandestrobin	250 g/ml	0.038	yes	yes
Sanvino	folpet + amisulbrom	480 g/l + 50 g/l	0.15	no	no
Scala (EC)	pyrimethanil	400 g/l	0.075	yes	yes
Score (EC)	difenoconazol	250 g/l	0.025	no	no
Securo SC	pyraclostrobin + folpet	100 g/l + 300 g/l	1.5	no	no
Sercadis	fluxapyroxad	300 g/l	0.02	yes	yes
Sercadis + Netzschwefel Stulln	tank mixture		0.015 + 0.3	yes	yes
Serenade ASO	<i>Bacillus amelloquefaciens</i>	13.96 g/l	0.4	yes	no
Serenade Max (WP)	<i>Bacillus subtilis</i>	5.13 E + 13 cfu/g	0.5	no	no
Serifel	<i>Bacillus amyloliquefaciens</i> MBI600	99 g/kg	0.12	yes	no
Signum (WG)	pyraclostrobin + boscalid	67 g/kg + 267 g/kg	0.09	no	no

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
Shinkon (SC)	amisulbrom	200 g/l	0.125	yes	yes
SL567A	metalaxyl-M	465.2 g/l	0.13	caution	caution
Soleil EC	bromuconazol + tebuconazol	167 g/l + 107 g/l	0.3	no	no
Sonata	<i>Bacillus pumilus</i> QST2808	13.8 g/l	1.0	yes	no
Soriale	potassium-phosphonate	755 g/l	0.14	yes	yes
Stamina	potassium-phosphonate	755 g/l	0.25	yes	yes
Stroby WG	kresoxim-methyl	500 g/kg	0.0125 – 0.02	no	no
Switch (WG)	cyprodinil + fludioxonil	375 g/kg + 250 g/kg	0.1	yes	yes
Syllit 400 (SC)	dodine	400 g/l	0.12	no	no
Systhane 20 EW	myclobutanil	200 g/l	0.45	no	no
Taegro	<i>Bacillus amyloliquefaciens</i> FZB24	130 g/kg	0.05	yes	no
Talendo (EC)	proquinazid	200 g/l	0.025	no	no
Talendo extra	proquinazid+tetraconazol	160 + 80	0.025	no	no
Talius (EC)	proquinazid	200 g/l	0.025	no	no
Teldor (WG)	fenhexamid	500 g/kg	0.2	yes	yes
Thiovit Jet (WG)	wettable sulfur	800 g/kg	0.4 – 0.7	yes	yes
Timorex Gold	tea tree oil	238 g/l	0.2	yes	yes
Topas	penconazole	100 g/l	0.025	yes	yes
TriBase Blue	1 tribasic copper sulphate	190 g/l	0.15	yes	no
Tridex DG	mancozeb	750 g/kg	0.2	no	no
Trilogy	clarified hydrophobic extract of neem oil	700ml/l	1	yes	yes
Tutor	copper + fosetyl Al	150 g/kg + 180 g/kg	0.5	yes	no
Universalis (SC)	folpet + azoxystrobin	500 g/l + 93.5 g/l	0.13	no	no
Vacciplant	iaminarin		0.15	yes	yes
Vegas	cyflufenamid	50 g/l	0.03	yes	yes

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
Vento Power	quinoxifen + myclobutanil	45 g/l + 45 g/l	0.1	yes	yes
Veriphos	potassium-phosphonate	755 g/l	0.25	yes	yes
Vincare (WG)	folpet + benthialicarbisopropyl	500 g/kg + 15.6 g/kg	0.13	no	no
Vinostar	folpet + dimethomorph	600 g/l + 113 g/l	0.2	no	no
Vision (SC)	fluquinconazol + pyrimethanil	50 g/l + 200 g/l	0.1	yes	yes
VitiSan	potassium hydrogen carbonate		0.5	yes	no
Vivando (SC)	metrafenone	500 g/l	0.02	yes	yes
Zorvec Zelavin	oxathiopiprolin	100 g/l	0.04	yes	yes

INSECTICIDES/ACARICIDES

ABC V14	cydia pomonella granulo virus isolate V14	3E + 13 GV/l	0.0125	yes	yes
Apollo 50 SC	clofentezin	500 g/l	0.04	yes	yes
Benevia	cyazypyr (cyantraniliprole)	100 g/l	0.03	yes	yes
Calypso (SC)	thiacloprid	480 g/l	0.02	yes	yes
Carpovirusine (SC)	cydia pomonella granulo virus, mex. isolat		0.1	yes	yes
Climaxer 48 sc	diflubenzurone	480 g/l	0.025	caution	caution
Confidor WG70	imidacloprid	700 g/kg	0.01	yes	yes
Coragen	ryanaxypyr (chlorantraniliprole)	200 g/l	0.0175	yes	yes
Debug Turbo	neem (azadirachtin)	7 ml/l	1	no	no
Delfin	<i>Bacillus thuringiensis</i> spp. <i>kurstaki</i> strain ABTS-351	64 g/kg	0.3	yes	yes
Dipel	<i>Bacillus thuringiensis</i> spp. <i>kurstaki</i> strain ABTS-351	33.2 g/l	0.16	yes	yes
Eradicoat	maltodextrin	573.89 g/l	3.75	no	no
Eradicoat Max	maltodextrin	476 g/l	2.0	yes	yes
Exirel (SE)	cyazypyr (cyantraniliprole)	100 g/l	0.075	yes	yes
Explicit EC	indoxacarb	150 g/l	0.25	no	no
Flipper	fatty acids (C7 - C20) potassium salt	479.8 g/l	1.6	no	no

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
Floramite 240 SC	bifenazat	240 g/l	0.02	yes	yes
FlorBac (WG)	<i>Bacillus thuringiensis aizawai</i> ABTS-1857	540 g/kg	0.1	yes	no
Gargoil	cinnamon oil + garlic	150 g/l + 200 g/l	1.0	no	no
Insegar (WG)	fenoxycarb	250 g/kg	0.02	yes	yes
Kanemite SC	acequinocyl	150 g/l	0.125	yes	yes
Kantaro	maltodextrin	573.89 g/l	3.75	no	no
Karate Zeon	lambda-cyhalothrin	100 g/l	0.05	yes	yes
Kiron (SC)	fenpyroximat	0.05	0.15	yes	yes
Madex3 (SC)	codling moth granulose virus	6.54 g Virus/l	0.02	yes	no
Masai (WP)	tebufenpyrad	0.2	0.025	yes	yes
Mavrik Vita	tau-fluvalinate	240 g/l	0.04	yes	yes
Milbeknock (EC)	milbemectin	9.3 g/l	0.1	caution	caution
Mimic (SC)	tebufenozide	240 g/l	0.05	yes	yes
Minecto One	cyantraniliprole	400 g/kg	0.013	yes	yes
Mospilan SG	acetamiprid	200 g/kg	0.025	yes	yes
Movento SC 100	spirotetramate	100 g/l	0.075	yes	yes
Naturalis	<i>Beauveria bassiana</i> strain ATCC74040	0.18 g/l (2.3 E+10 cfu/l)	0.13	yes	yes
Neem-Azal (EC)	azadirachtine	10 g/l	0.2	yes	yes
NEU 1153 IEC	pyrethrins	45.9 g/l	0.1	yes	yes
Ningbo 25 EC	cypermethrin	250 g/l	0.02	caution	caution
Piretro verde	pyrethrine + oil		0.3	yes	yes
Pirimor Granulat (WG)	pirimicarb	500 g/kg	0.05	yes	yes
Prev-AM	orange oil	60 g/l	0.1	no	no
Proclaim Opti	emamectin benzoate	50 g/kg	0.002	yes	yes

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
Prodigy	methoxyfenozide	240 g/l	0.025	yes	yes
Quassia-Trocken-extrakt	quassin		0.2	yes	yes
Prev-Am	orange oil	60 g/l	0.1	no	no
Prev Gold	orange oil	55.8 g/l	0.4	no	no
Raptol HP	pyrethrins	45.9 g/l	0.1	yes	yes
Reldan 2E (EC)	chlorpyrifos-methyl	225 g/l	0.2	no	no
Runner Sc 240	methoxyfenozide	240 g/l	0.04	yes	yes
Spintor	spinosad	480 g/l	0.08	yes	no
Spruzit neu (EC)	pyrethrine + rapeseed oil	4.59 g/l + 825.3 g/l	1	yes	yes
Steward (EC)	indoxacarb	158 g/kg		no	no
Steward (WG)	indoxacarb	300 g/kg	0.125	yes	yes

INSECTICIDES/ACARICIDES AND BACTERICIDES

Surround	kaolin	950 g/kg	1.5	yes	yes
Teppeki (WG)	flonicamide	500 g/kg	0.14	yes	yes
Tracer (SC)	spinosad	480 g/l	0.08	yes	no
Vertimec	abamectin	18 g/l	0.1	yes	yes
Xen Tari (WG)	<i>Bacillus thuringiensis aizawai</i>	540 g/kg	0.1	yes	no
Yimacho 350 sc	imidacloprid	350 g/l	0.04	yes	yes

BACTERICIDES

Kasumin	kasugamycin	22 g/l	0.5	yes	yes
Kasumin 2L	kasugamycin	20 g/l	0.47	yes	yes
LMA (WP)	potassium-aluminiumsulfate	800 g g/kg	2.0	no	no
Plantomycin (WP)	streptomycin sulfate	212 g/kg	0.06	yes	yes
Starner	oxolinic acid	200 g/kg	0.2	no	no
Strepto (WP)	streptomycin sulfate	212 g/kg	0.06	yes	yes

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
GROWTH REGULATORS					
Cerone 660	ethephon	660 g/l	0.02	yes	yes
Diramid	α-naphtyl-acetic acid		0.8	yes	yes
Fixor 100SL	1-naphthyllessigsäure	100 g/l	0.01	yes	yes
Flordimex	ethephon, 2-chlorin ethyl phosphonic acid		0.03	yes	yes
Gibb plus	gibberellin GA4/7		0.1	yes	yes
Gibb3	gibberellic acid GA3		1 Tabl./ 60 l water	yes	yes
Novagibb	gibberelic acid		0.1	yes	yes
Promalin	bencyladenin-gibberellin GA4+7	19 g/19 g/l	0.05	yes	yes
Regalis	prohexadione-calcium		0.25	yes	yes

GROWTH REGULATORS AND ADDITIVES					
Regalis Plus	prohexadion-calcium	84.8 g/kg	0.166	caution	caution
Regulex 10 SG	gibberelin A4+A7		0.01	yes	yes
Ursus	paclobutrazol	250 g/l	0.3	yes	yes

ADDITIVES					
Abion E	paraffin (oil-in-water emulsion)		0.1	yes	yes
Adhäsit	marlopone		0.1	caution	caution
Agral Gold	sulfosuccinate		0.0025	caution	caution
Ajutol	tensides		0.2	no	no
Break-Thru	polyether modified trisiloxane		0.1	yes	yes
Driftstop	organosilicone + latex polymer		0.1	caution	caution
Du-Wett	trisiloxane ethoxylate	500 g/l	0.02	caution	caution
Cocana	potassium soap	262 g/l	0.5	caution	caution
Corteva Schaumstopp	polydimethylsiloxan	185 g/l	0.002	yes	yes
CropCover CC-1000	starch		0.4	yes	yes

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
Heliosol	terpene alcohol	655 g/l	0.2	no	no
Helioterpen Film	pine terpene	910 g/l	0.4	yes	yes
Hi-Wett	trisiloxane ethoxylate	500 g/l	0.02	caution	caution
JMS Stylet-Oil	paraffinic oil	971ml/l	1	yes	yes
Kantor	alkoxylated soy oil	790 g/l	0.15	yes	yes
Latron B 1956	phthalic glycerol alkyl resin + butyl alcohol	770 g/l + 230 g/l	0.025	yes	yes
Neo-Wett	isotridecanolpolyglykoether		0.05	no	no
Nu-Film-P	pinolenes, nonionic surfactants		0.075	yes	yes
Optiwett	polyethoxylized fatty alcohol, Di-2-0.1 no noethylhexylsodiumsulfosuccinate		0.1	no	no
Oroboost	citrus oil (Alkoholethoxylat)	136 ml/l	0.78	no	no
Ovipron Top	paraffin oil	965 ml/l	3.5	yes	yes
Prev-B2	orange oil, fat alcohol ethoxylate		0.2	no	no
Proagro Netzmittel	succinic acid		0.03	caution	caution
Pro Asete	rapeseed oil, milk protein		0.2	yes	yes
ProFital fluid	protein surfactant		0.2	yes	yes
ProNet alpha	protein surfactant		0.15	yes	yes
Sentinel	sodium hexametaphosphate, dglucopyranose, oligomers, decylocyl glycosides, organic acids		0.25	yes	yes
Silwet Top	trisiloxane		0.15	no	no
Sorbilene L	tween 20		0.1	yes	yes
Sorbilene O	tween 80		0.1	yes	yes
Squall			0.5	yes	yes
Sticman	latex		0.1	caution	caution
Trend 90	isodecylalcholethoxylate		0.1	no	no

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
Trifolio-S-forte	plant oils, nonionic surfactants		0.25	yes	yes
Validate	soy lecithin, ethanoethoxylate		0.25	yes	yes
WetCit	fatty alcohol ethoxylate		0.05	no	no
WetCit Neo	alcohol ethoxylate	81.5 g/l	0.3	yes	yes
Zellex	alkyloxypolyethylenoxyet hanol 70, sulfo succinic acid dioctylester (Na-)		0.05	no	no

ADDITIVES AND FERTILIZERS

Zentero SPR	sophorolipids	450 g/l	0.1	yes	yes
-------------	---------------	---------	-----	-----	-----

FERTILIZERS

Amalgerol	fertilizer (fluid)		0.3	no	no
Aminosol	N, K ₂ O	115 g/l + 15 g/l	0.75	yes	yes
Avitar	N, K ₂ O	47 g/l + 24g/l	0.6	yes	yes
Balio	cinnamon extract + zincchloride		0.3	no	no
Basfoliar Aktiv	water soluble phosphate		0.75	yes	yes
Beiselen Top CalciumCarboxylat	CaO, N	182 g/l + 108 g/l	0.4	yes	no
BioGrowth Ca	CaO in lignosulfonic acid	90 g/l	0.5	yes	yes
BioGrowth Micro	micro nutrients		0.3	yes	yes
Bittersalz	magnesium sulfate		1.6	yes	yes
Blattgrün Nfe flüssig	NFe-fertilizer		0.4	yes	yes
BProtect Mimosa	manganes, zinc	10 g/l + 10 g/l	0.300	yes	yes
CalciNit	calcium nitrate		1	yes	yes
Calciumchlorid	calcium chloride		1	yes	yes
Calfruit	calcium chloride		2	yes	yes
Calfruit	calcium chloride		0.5	yes	yes
Calstip	calcium chloride		2	yes	yes

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
Calstip	calcium chloride		0.5	yes	yes
Carbo-Eco Ca	CaO, seaweed-extract	69 g/l + 230g/l	0.8	yes	yes
Chelal Mg	chelated magnesium		0.5	yes	yes
Csöpp Mix fertilizer	NPK-fertilizer		0.5	yes	yes
Diaglutin Ca flüssig	CaO	60 g/l	0.60	yes	yes
Düngal Calcium	calcium chloride		2	yes	yes
Ecozen	cinnamon extract		0.3	no	no
Falnet	magnesium oxide		1	caution	no
Fimum Fruchtkalk	Ca(OH) ₂ + Mg(OH) ₂		0.4	no	no
FolanxCa29	calcium formate		0.5	no	no
Foliarel	sodium borate		2	no	no
Urea	carbamide		1.4	yes	yes
Kendal TE	copper		0.5	yes	no
Lebocal Hepta	CaO + Mn a.o.	170 g/l + 6 g/l	1	yes	yes
Lebosol Calcium	CaO	220 g/l	1	no	no
Lebosol Calcium Forte SC	CaO, Mn, Zn	260 g/l + 20 g/l + 10g/l	0.8	yes	yes
Lebosol-Kalium-Plus	NPK-fertilizer		0.375	yes	yes
Lebosol-Magnesium 500	magnesium hydroxide		1	yes	no
Lebosol-Magnesium-Plus	NP-fertilizer		0.375	caution	caution
Lebosol Robustus	N, CaO, B, MgO	125 g/l + 214 g/l + 100 g/l + 25 g/l	0.2	yes	no
Löschkalk	calcium hydroxide		2	not tested	no
Magnisol	magnesium carbonate pH10		0.8	yes	yes
Optycal	calciumformate		0.375	yes	yes

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
Optysil	ironchelate, EDTA	24 g/l	0.2	yes	yes
Organic Triggrr	soluble potash (K ₂ O)	10 g/l	0.25	yes	yes
PHC Organic Plant Feed	fertilizer		2	yes	yes
Phos 60 EU	NK-fertilizer		0.16	yes	yes
Phos 60 EU + Proliq Calcium LQ	NK-fertilizer + calcium chloride		0.16 + 2	yes	yes
Phos 60 EU + Proliq Amino Calcio	NK-fertilizer + calcium chloride, amino acids		0.16 + 1	yes	yes
Phosfik	PK-fertilizer		0.3	yes	yes
Phosfung	NK-fertilizer		0.25	yes	yes
Potassium Nitrate - NOP (Prayon)	KNO ₃	Grade: 13-0-46	0.3	yes	yes
Prev-B2	borum (borethanolamin), orange oil	21 g/l	0.2	no	no
Proliq Calcium LQ	calcium chloride		2	yes	yes
Proliq Amino Calcio	calcium chloride, amino acids		1	yes	yes
Protex-Cu	copper		0.167	no	no
Resistance	extract from algae (Laminaria)		0.3	yes	yes
Rudd Fertilizer HU	fertilizer (fluid)		0.1	caution	caution
Sergomil L60	copper		0.15	caution	no
Solubor	boron		0.3	no	no
Nitrogen fertilizer solution	ammonium-sulfate (ATS)		1.5	yes	yes
Tracer	micro nutrients		2	yes	yes
Vittafos	micro nutrients		0.5	yes	yes
Tracer	NPK-fertilizer (fluid) with micronutrients		0.3	yes	yes
Zöldpajzs	fertilizer (fluid)		1	caution	caution

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
PLANT STRENGTHENERS/OTHERS					
Actigard	acibenzolar-s-methyl	500 g/kg	0.02	yes	yes
Algovital	seaweed extracts		0.5	yes	yes
AminoVital	aminosäuren		1.2	yes	yes
Armour-Zen	chitosan		1.25	no	no
Bee-Scent	pheromones + other natural attractants	95 g/kg + 425 g/kg	0.25	caution	caution
Biozell 2000 B	etheric oil of thymbra spicata		0.05	no	no
Botry-Zen	<i>Ulocladium oudemansii</i>		1	yes	yes
BProtect G-Food Aroma	alliaceae extracts	151 g/L	0.300	no	no
Carbo-Eco-Fe	iron		1	yes	yes
ChitoPlant	chitosan		0.1	no	no
Cutisan	kaolin clay		1.5	yes	yes
Elot-Vis	plant extract of cannabis		10	no	no
EnviRepell	oil of Allium sativum		0.3	yes	yes
Equisetum Plus	<i>Equisetum</i> extract		1	yes	yes
FULVAGRA Liquid 25	fulvic acid	170 g/l	0.50	yes	yes
Fungend	etheric oil of Thymbra spicata		0.025	yes	yes
HF Pilzvorsorge	oil of <i>Foeniculum vulgare</i>		0.4	no	no
Lebermooser	liverwort extract		0.5	yes	yes
Lentus	potassium carbonate, lecithin, acetate		1	no	no
Milsana	<i>Reynoutria sacchalinensis</i>		1.2	yes	yes
Neudosan	potassium salts of fatty acids		2	no	no
Neudo-Vital	fatty acids, seaweed extracts		0.3	no	no
OmniProtect	potassium carbonate		0.5	caution	no

Trade name (formulation)	Active agent	Concentration of active agent	Application concentration (%)	Compatible with Botector® Blossom Protect™	Compatible with Blossom Protect™ with Buffer Protect™ NT
Phyto-Vital	lignin derivative		2	yes	yes
PLaNTEEN			5.0	yes	yes
PottaSol	potassium water glas		0.5	yes	yes
proagro Algenextrakt	seaweed extracts		0.5	yes	yes
proagro Aminosäuren	amino acids		0.3	yes	yes
PRP EBV	potassium sulfate and other nutrient salts		0.2	yes	yes
SalicylPure	Willowbark extract		0.2	yes	yes
Steinhauers - Mehltauscheck	sodium hydrogen carbonate		1	yes	no
Ulmasud B	stone dust		0.5	caution	caution